

TULO Pipe

2024.02_01_EN



TULO pipes are a permanent formwork made from spiral sheet metal. They are available in both round and rectangular profiles. TULO pipes are primarily used as recess formers for ceilings and walls as well as foundations for machines, poles and masts.


Main Characteristics

- Spiral profile
- Round and rectangular profiles
- Fast Installation
- Special types and sizes on request
- Available with additional anchoring plate

Technical Data

- Material: steel sheet metal
- Unit length: 500 cm
- Packaging: packed on pallets, shrink wrapped
- Unit diameter = 3-150 cm
- Unit widths/heights = 3-200 cm
- Storage: no limitation



Round profile



Type	Diameter d_1 [mm]	Diameter d_2 [mm]	Height h_p [mm]	Weight [kg/m]
30	30	35	2,5	0,20
40	40	46	3,0	0,20
50	50	56	3,0	0,34
60	60	67	3,5	0,46
65	65	72	3,5	0,56
70	70	77	3,5	0,57
80	80	87	3,5	0,77
90	90	97	3,5	0,80
100	100	108	3,8	0,85
125	125	133	3,8	1,11
150	150	158	3,8	1,28
180	180	188	3,8	1,55
200	200	208	3,8	1,70
250	250	260	4,8	2,24
290	290	300	4,8	2,50
300	300	310	4,8	2,68
310	310	320	4,8	2,80
350	350	360	4,8	3,11

Type	Diameter d ₁ [mm]	Diameter d ₂ [mm]	Height h _p [mm]	Weight [kg/m]
400	410	410	4,8	3,55
450	434	450	8,0	5,59
500	484	500	8,0	6,22
550	534	550	8,0	6,96
600	584	600	8,0	7,49
650	634	650	8,0	8,12
700	685	700	8,0	10,99
750	735	756	8,0	11,78
800	785	800	8,0	12,58
850	835	850	8,0	13,37
900	885	900	8,0	14,17
950	935	950	8,0	14,96
1000	985	1000	8,0	20,10
1050	1035	1050	8,0	22,33
1100	1086	1108	8,0	24,36
1150	1130	1158	8,0	25,48
1250	1230	1250	8,0	27,70
1350	1330	1350	8,0	30,20
1500	1480	1500	8,0	33,28

Rectangular profile



Type	Height/Width a x b [mm]	Height/Width A x B [mm]	Height h _p [mm]	Weight [kg/m]
30 x 30	28 x 28	35 x 35	3,5	0,26
40 x 40	41 x 41	49 x 49	3,5	0,50
50 x 50	49 x 49	59 x 59	3,5	0,55
60 x 60	62 x 62	70 x 70	3,5	0,76
60 x 30	57 x 28	67 x 36	3,5	0,54
70 x 70	72 x 72	82 x 82	3,5	0,88
70 x 35	69 x 35	77 x 45	3,5	0,66
80 x 80	82 x 82	90 x 90	3,5	1,01
80 x 40	77 x 42	85 x 50	3,5	0,86
90 x 60	90 x 60	98 x 68	3,5	1,02
100 x 50	102 x 52	110 x 60	3,5	0,97
100 x 100	100 x 100	108 x 108	3,5	1,15
130 x 60	130 x 60	138 x 68	3,5	1,38
130 x 130	130 x 130	138 x 138	3,5	1,65

Type	Height/Width a x b [mm]	Height/Width A x B [mm]	Height h _p [mm]	Weight [kg/m]
140 x 80	140 x 80	149 x 88	3,5	1,38
140 x 140	138 x 138	149 x 149	3,5	1,70
160 x 100	160 x 100	168 x 168	3,5	1,65
200 x 200	186 x 186	197 x 197	3,5	2,35

Installation

The TULO pipes is fixed directly to the main reinforcement of the wall or slab. After fixing formworkig and concreting can start around the pipes. When the cocrete cures formwork can be stripped and the recesses are complete.

Related Products

- RECOSTAL® Box
- RECOSTAL® Sbox

Safety/ Recommendations*

Wear protective gloves

*The recommendations relating to the application and end-use of our products are based on our current knowledge and experience of the products when properly stored, handled and applied under normal conditions. No warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any other advice offered. The user shall rely on his or her own information and tests to determine suitability of the product for the intended use. We reserve the right to update information due to technical progress.